





Arched Template Instructions

Tools Required:



Scissors

Tape

Tape Measure

Pencil

Template Paper

Square

Camera

Shipping Tube

When you are finished your template:

Take pictures of the template in the window and email them to your sales person.

Label your template. - Mark "Faces Room" on the front of the template along with your name, window side mark (if more than one shade on your project) and job number.

Contact your sales person to receive an RGA number.

Shipping your template - It is preferred that you roll the template instead of folding. Place the RGA number on the outside of the box.

Ship to the below address unless instructed otherwise:


**DEL Motorized Solutions
111 Buck Road
Buck Road Business Center Unit 900
Huntingdon Valley, PA 1900**

Tips for Success:


- * Be Precise: Accurate measurements are crucial for a good fit. Double-check your measurements.
- * Take Your Time: Don't rush the tracing and cutting process. Smooth, consistent lines will result in a better template.
- * Once you're happy with the fit, label the template with any relevant details.

If you have questions during the templating process, please take pictures of the opening and submit to DEL for review.

Arched Template Instructions



Step 1. Measure the width and height of the arched portion of the window to the 1/16th inch.




Step 2. Unroll roofing paper or similar rigid material.

Arched Template Instructions




Step 3. Draw the width and height of the arch onto the tracing paper.




Step 4. Draw an extended center line.

Arched Template Instructions




Step 5. Draw a diagonal line connecting the center point to the bottom corner.



Step 6. Using a square, draw an extended line starting from the center point of the diagonal line until it passes the center line of the template.


Arched Template Instructions

Top Center Template Point •




Step 7. Pin a string to the pivot point. Connect a pencil to the string. Be sure the string is the exact length needed to reach the top center template point.

Arched Template Instructions



Step 8. Cut out template taking care to follow the curve to create a smooth radius.



Step 9. Place the template on the window to confirm accuracy.